0493871203

## **AVENTICS Series CON-MP Multipole** plugs with cable

The AVENTICS Series CON-MP-with cable offers cables with a multipol plug like D-SUB with various numbers of pins and different length, optimized for our focused valve system Series like AV Also C/2 connectors for Valve systems of Series CL03 are available.



#### Technical data

Industry Industrial Type Multipole Cable with cable 24 V DC Operational voltage Max. operating voltage AC 24 V DC Electrical connection 1, type Socket C/2 Electrical connection 1, thread size Electrical connection 1, number of poles 48-pin Cable exit 1 angled 45° Cable exit angle

Electrical connection 2, type open cable ends

Electrical connection 2, number of poles 24-pin Number of wires 25

Shielding unshielded
Cable length 10 m
Protection class IP69K
Min. ambient temperature 0 °C
Max. ambient temperature 50 °C
Max. current 3 A

0493871203

#### Material


Housing material Polyamide

Material cable sheath Polyvinyl chloride Part No. 0493871203

#### **Technical information**

The specified protection class is only valid in assembled and tested state. max. 8 valves

#### **Dimensions**



<sup>1)</sup> housing 2) cable gland 3) connector housing size C/2 4) screw 5) seal 6) cable 7) screw 8) seal 9) seal

0493871203

### PIN assignment and cable colors



# PIN assignment and cable colors, 24-pin

Pin Color	А	В	С
1	blue	white	brown
2	red/blue	green	yellow
3	white/pink	gray	pink
4	pink/brown	red	black
5	white/blue	violet	gray/pink
6	brown/blue	white/green	brown/green
7	white/red	white/yellow	yellow/brown
8	brown/red	white/gray	gray/brown