

Manifold block, Series DO22

1825503608

ISO 15407-1, Base and end plates



Technical data

Industry

Industrial

Type

Manifold strip

Compressed air connection input

G 1/8

Direction of pneumatic port (2,4)

On the side

Compressed air connection output

Ø 4

Port exhaust

G 1/8

Exhaust (3,5)

With directional exhaust (3/5)

Type

Single plug-in wiring

Working pressure min.

0 bar

Working pressure max

10 bar

Medium

Compressed air

Max. number of valve positions

8

Grid dimension

23 mm

Mounting screw

M3

Weight

0.363 kg

Material

Material base plate

Aluminum

Material push-in fitting

Brass

Part No.

1825503608

Part No.	e1	e2	e3	e4	e5	e6	e7	e8	e9
1825503606	22	23	46	69	92	115	–	–	–
1825503607	22	23	46	69	92	115	138	–	–
1825503608	22	23	46	69	92	115	138	161	–
1825503609	22	23	46	69	92	115	138	161	184

e10	e11	l	Weight
–	57	67	0.363 kg
–	80	90	0.363 kg
–	103	113	0.363 kg
–	126	136	0.363 kg
–	149	159	0.363 kg
–	173	182	0.363 kg
–	195	205	0.363 kg
–	218	228	0.363 kg