
Valve plug connector, series CON-VP

1834484105

General series information AVENTICS Series CON-VP Valve plug connectors

■ The AVENTICS CON-VP series includes valve connectors for self-assembly to be used between various valve series and sensors. The series complies with EN 175301-803 and covers the connector types form A, B, industry standard B, C and industry standard C.





Technical data

 $\begin{array}{ccc} \text{Industry} & \text{Industrial} \\ \text{Type} & \text{Valve plugs} \\ \text{Connection type} & \text{Screws} \\ \text{min. suitable cable } \varnothing & 4 \text{ mm} \\ \end{array}$

max. suitable cable \varnothing 8 mm EN 175301-803, form B

Certificates CE declaration of conformity

Varistor

UKCA Shielding unshielded

with LED Red

Min. ambient temperature -40 °C

Max. ambient temperature 90 °C

Max. current 1.5 A

Protection class IP67

Operational voltage 115 V AC/DC



Protective circuit

Electrical connection 1, type Socket

Electrical connection 1, thread size EN 175301-803, form B

Electrical connection 1, number of poles 2+E
Cable exit angle
Cable exit angle 90°
Mounting screw tightening torque 0.4 Nm

Material

Housing material Polyamide

Seal material Silicone caoutchouc

Part No. 1834484105

Technical information


For security reasons, the valve plug connector must be plugged properly and centrically.

The specified protection class is only valid in assembled and tested state.

Design B as per EN 175301-803



Dimensions



Flat gasket

