

シリーズ SGN



AVENTICS™

AVENTICS SGN シリーズ フラット吸着グリッパ


EMERSON™

シリーズ SGN

AVENTICS シリーズ SGN ユニバーサルグリッパとして、丸いフラットサクシヨンカップは、水平で平らなワークピースを使用する多くの標準的なアプリケーションに最適です。シリーズ SGN サクシヨンカップは、滑らかで敏感な表面向けに特別に設計されています。




製品概要

フラット吸着盤	
フラット吸着盤, シリーズ SGN.....	4
雄ねじ	
フラット吸着盤, シリーズ SGN.....	6
雄ねじ 耐熱	


フラット吸着盤, シリーズ SGN

圧縮空気接続タイプ: 雄ねじ
最少周囲温度: -10 °C
最高周囲温度: 70 °C



タイプ	圧縮空気ポート	外径 [mm]	保持力 [N]	流量 [cm³]	納品ユニット [個]	重量 [kg]	マテリアル番号
SGN 6	M5	6.3	1.5	0.017	1	0.002	2732060000
SGN 10	M5	10	4	0.065	1	0.003	2732100000
SGN 16	M5	16	8	0.33	1	0.004	2732160000


寸法



マテリアル番号	タイプ	ØD	G	H	Ha*)	C	d	SW
2732060000	SGN 6	6.3	M5	15	13.5	4.5	3	8
2732100000	SGN 10	10	M5	20	18	4.5	3	8
2732160000	SGN 16	16	M5	21	17	4.5	3	8


*) 真空作動の場合の高さ

オブジェクトの最大ねじれ R min




フラット吸着盤, シリーズ SGN

圧縮空気接続タイプ: 雄ねじ
耐温度性: 耐熱
最少周囲温度: -30 °C
最高周囲温度: 180 °C



タイプ	圧縮空気ポート	外径 [mm]	保持力 [N]	流量 [cm ³]	納品ユニット [個]	重量 [kg]	マテリアル番号
SGN 10	M5	10	4	0.065	1	0.003	2732101000
SGN 16	M5	16	8	0.33	1	0.004	2732161000


寸法



マテリアル番号	タイプ	ØD	G	H	Ha*)	C	d	SW
2732101000	SGN 10	10	M5	20	18	4.5	3	8
2732161000	SGN 16	16	M5	21	17	4.5	3	8

*) 真空作動の場合の高さ





オブジェクトの最大ねじれ R min



Efficient pneumatic solutions, our program:
cylinders and drives, valves and valve systems,
air supply management, proportional pressure
control valves



Visit us: www.Emerson.com/aventics
Your local contact: Emerson.com/contactus

-  Emerson.com
-  Facebook.com/EmersonAutomationSolutions
-  LinkedIn.com/company/Emerson-Automation-Solutions
-  Twitter.com/EMR_Automation



The Emerson logo is a trademark and service mark of Emerson Electric Co. AVENTICS is a registered trademark of one of the Emerson family of companies. All other trademarks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED™