

SC4



AVENTICS™

**Sensori di prossimità magnetici
serie SC4 AVENTICS**


EMERSON™

Serie SC4

La serie SC4 AVENTICS è costituita da sensori magnetici ideali per l'uso in spazi ridotti, con cilindri a corsa breve e pinze con scanalatura a C.


- Scanalatura a C 4 mm
- Tipo di contatto PNP, NPN
- Certificazione UL




Sensore, Serie SC4

UPG
RTC
MSN
GPC
MSC
PRA
SSI
TWC

stagnato senza bussola terminale del conduttore



Montaggio diretto per serie	Tipo di contatto	Conexión eléctrica numero poli	Lunghezza cavo L [m]	Codice
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	PNP elettronico	A 3 poli	3	R412026162
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	PNP elettronico	A 3 poli	5	R412026163
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	NPN	A 3 poli	3	R412026166




* Punto di commutazione
L = lunghezza cavo

Sensore, Serie SC4

UPG
 RTC
 MSN
 GPC
 MSC
 PRA
 SSI
 TWC
 Connettore



Montaggio diretto per serie	Tipo di contatto	Conexión eléctrica numero poli	Lunghezza cavo L [m]	Codice
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	PNP elettronico	A 3 poli	0.3	R412026164
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	PNP elettronico	A 3 poli	0.5	R412026165
UPG, RTC, MSN, GPC, MSC, PRA, SSI, TWC	NPN elettronico	A 3 poli	0.3	R412026167







* Punto di commutazione
 L = lunghezza cavo

Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: [Emerson.com/Aventics](https://www.emerson.com/aventics)

Your local contact: [Emerson.com/contactus](https://www.emerson.com/contactus)

-  [Emerson.com](https://www.emerson.com)
-  [Facebook.com/EmersonAutomationSolutions](https://www.facebook.com/EmersonAutomationSolutions)
-  [LinkedIn.com/company/Emerson-Automation-Solutions](https://www.linkedin.com/company/Emerson-Automation-Solutions)
-  [Twitter.com/EMR_Automation](https://twitter.com/EMR_Automation)

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2019 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED™