



シリーズ PVP1



AVENTICS PVP1 シリーズ

これらの小型、軽量、低電力のマイクロソレノイドパイロットバルブ 8 mmは、プラグインカートリッジスタイルです。PVP1 シリーズは、コンパクトさが必要なアプリケーションや、アクチュエータや非常に小さなデバイスを制御するためのソリューションとして高性能で使用でき、ポータブル機器に適しています。

- Qn max. 11 l/min ... 14 l/min
- 3/2 NC ポペットバルブ
- Ø 8,2 mm
- 作動圧力 3 bar ... 8 bar
- 24 V DC
- 作動圧力 3 ~ 8 bar





製品概要

電気作動
3/2 マイクロ方向制御弁、シリーズ PVP1..... 4
軟質封止


3/2 マイクロ方向制御弁、シリーズ PVP1

作動: 電気
 起動時間: 100 %
 型式: シート弁
 環境温度 最低/最高: -10 °C ... 60 °C
 中間温度 最小/最大: -10 °C ... 60 °C
 作動圧力 最小/最大: 3 bar ... 8 bar



弁機能	作動電圧	電力消費 DC [W]	電圧許容差 DC	定格吐出 Qn 1 から 2 [l/min]	マテリアル番号
NC	24 V DC	1.2	-10 % / +10 %	11	R422103884
NC	24 V DC	1.2	-10 % / +10 %		R422103885

寸法



- 1) ポート 1 (入力)
 2) ポート 2 (作動圧力)
 3) ポート 3 (排気)

Efficient pneumatic solutions, our program:
cylinders and drives, valves and valve systems,
air supply management, proportional pressure
control valves



Visit us: www.Emerson.com/aventics
Your local contact: Emerson.com/contactus

-  Emerson.com
-  Facebook.com/EmersonAutomationSolutions
-  LinkedIn.com/company/Emerson-Automation-Solutions
-  Twitter.com/EMR_Automation



The Emerson logo is a trademark and service mark of Emerson Electric Co. AVENTICS is a registered trademark of one of the Emerson family of companies. All other trademarks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED[®]