


Série TU2




AVENTICS™

**AVENTICS Série TU2 Tubulações
de ar comprimido**


EMERSON™

AVENTICS Série TU2 Tubulações de ar comprimido

As tubulações de plástico AVENTICS Série TU2 Duo em PUR são adequadas para assentamento dinâmico e podem ser conectadas de modo parcial ou contínuo.




Visão geral dos produtos

TU2

Mangueira de plástico Duo, Série TU2-S-PUR.....	4
próprio para correntes progressivas colado de forma permanente	

Mangueira de plástico Duo, Série TU2-S-PUR

Material: poliéster-poliuretano
: próprio para correntes progressivas, colado de forma permanente
Temperatura ambiente mín./máx.: -30 °C ... 80 °C



Ø externo [mm]	Grossura das paredes [mm]	Cor	Comprimento [m]	Pressão de operação máx. com 20 °C [bar]	N° de material
4	0.75	Azul-preto	25	10	1820712070
4	0.75	Azul-preto	100	10	R412014515
4	0.75	Preto transparente	100	10	R414010613
6	1.05	Azul-preto	25	10	1820712072
6	1.05	Azul-preto	100	10	R412014516
8	1.15	Azul-preto	25	10	1820712073
8	1.15	Azul-preto	100	10	R412014486
10	1.25	Azul-preto	25	10	1820712074
10	1.25	Azul-preto	100	10	R412014517

Efficient pneumatic solutions, our program:
cylinders and drives, valves and valve systems,
air supply management, proportional pressure
control valves



Visit us: www.Emerson.com/aventics
Your local contact: Emerson.com/contactus

-  Emerson.com
-  Facebook.com/EmersonAutomationSolutions
-  LinkedIn.com/company/Emerson-Automation-Solutions
-  Twitter.com/EMR_Automation



The Emerson logo is a trademark and service mark of Emerson Electric Co. AVENTICS is a registered trademark of one of the Emerson family of companies. All other trademarks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED[®]