

## 系列 QR1



AVENTICS™

AVENTICS QR1 系列快插接头



## 系列 QR1

安沃驰 QR1 系列推入式接头安装便捷安全，提供多种型号：可用于 3 至 16 mm 的管道直径，还提供塑料、金属和不锈钢变型。QR1 系列的圆柱形螺纹可以重复连接和释放，不会出现问题（快速释放），固定式 O 型圈确保出色的密封性。我们的 QR 计划为各种应用和行业提供适当的解决方案。

- $Q_n = 60 \text{ l/min} \dots 875 \text{ l/min}$
- Na základě optimalizace produktu se může dodaný artikl akutálně odlišovat od zobrazených rozměrů.




QR1-S-RPN 标准系列

直接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2121004050
M5	Ø 6	10	2121006050

2121004050



2121006050




QR1-S-RPN 标准系列

直接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	2121004180
G 1/8	Ø 6	10	2121006180
G 1/4	Ø 4	10	2121004140
G 1/4	Ø 6	10	2121006140
G 1/4	Ø 8	10	2121008140
G 3/8	Ø 6	10	R412005000
G 3/8	Ø 8	10	2121008380
G 3/8	Ø 10	10	2121010380
G 1/2	Ø 8	10	R412005001
G 1/2	Ø 10	10	2121010120
G 1/2	Ø 12	10	2121012120


2121004180




2121006180



2121004140




2121006140







2121008140




R412005000




2121008380




2121010380




R412005001



2121010120




2121012120




QR1-S-RPN 标准系列

直接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 8	10	2121008180
G 1/8	Ø 10	10	R412005002
G 1/8	Ø 12	10	R412005003
G 1/4	Ø 10	10	2121010140
G 1/4	Ø 12	10	2121012140
G 3/8	Ø 12	10	2121012380
G 3/8	Ø 14	10	2121014380
G 3/8	Ø16	10	R412005005
G 1/2	Ø 14	10	2121014120
G 1/2	Ø16	10	R412005006


2121008180




R412005002




R412005003




2121010140




2121012140




2121012380




2121014380




R412005005



2121014120



R412005006




QR1-S-RAS 标准系列

插入式接头  
外螺纹  
针式衬套




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2121604050
M5	Ø 6	10	R412005068
G 1/8	Ø 4	10	2121604180
G 1/8	Ø 6	10	2121606180
G 1/8	Ø 8	10	R412005071
G 1/4	Ø 6	10	2121606140
G 1/4	Ø 8	10	2121608140
G 1/4	Ø 10	10	R412005072
G 1/4	Ø 12	10	R412005073
G 3/8	Ø 10	10	2121610380
G 3/8	Ø 12	10	R412005074
G 1/2	Ø 10	10	2121610120
G 1/2	Ø 12	10	2121612120
G 1/2	Ø 14	5	R412005076
G 1/2	Ø 16	5	R412005078


2121604050




R412005068




2121604180




2121606180




R412005071




2121606140




2121608140




R412005072




R412005073




2121610380




R412005074, 2121610120




2121612120



R412005076




R412005078




QR1-S-RAI 标准系列

带螺帽的直线型管接头  
内螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	2121904180
G 1/8	Ø 6	10	2121906180
G 1/8	Ø 8	10	2121908180
G 1/4	Ø 4	10	R412005085
G 1/4	Ø 6	10	2121906140
G 1/4	Ø 8	10	2121908140
G 1/4	Ø 10	10	R412005089
G 1/4	Ø 12	10	R412005091
G 3/8	Ø 6	10	R412005086
G 3/8	Ø 8	10	R412005087
G 3/8	Ø 10	10	2121910380
G 3/8	Ø 12	10	2121912380
G 1/2	Ø 10	10	R412005090
G 1/2	Ø 12	10	2121912120


2121904180




2121906180



2121908180




R412005085







2121906140




2121908140




R412005089




R412005091




R412005086




R412005087




2121910380




2121912380



R412005090




2121912120




QR1-S-RSI 标准系列

隔板式管接头  
内螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	2122604180
G 1/8	Ø 6	10	2122606180
G 1/8	Ø 8	10	R412005232
G 1/4	Ø 6	10	2122606140
G 1/4	Ø 8	10	2122608140
G 1/4	Ø 10	10	R412005233
G 3/8	Ø 8	10	R412005231
G 3/8	Ø 10	10	2122610380
G 3/8	Ø 12	10	R412005235
G 1/2	Ø 12	10	2122612120


2122604180




2122606180




R412005232




2122606140




2122608140




R412005233




R412005231




2122610380



R412005235



2122612120




QR1-S-RVT 标准系列

弯头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2122004050
M5	Ø 6	10	2122006050

2122004050



2122006050




QR1-S-RVT 标准系列

弯头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	2122004180
G 1/8	Ø 6	10	2122006180
G 1/8	Ø 8	10	2122008180
G 1/8	Ø 10	10	R412005094
G 1/8	Ø 12	10	R412005095
G 1/4	Ø 4	10	2122004140
G 1/4	Ø 6	10	2122006140
G 1/4	Ø 8	10	2122008140
G 1/4	Ø 10	10	2122010140
G 1/4	Ø 12	10	2122012140
G 3/8	Ø 6	10	R412005092
G 3/8	Ø 8	10	2122008380
G 3/8	Ø 10	10	2122010380
G 3/8	Ø 12	10	2122012380
G 3/8	Ø 14	5	2122014380
G 3/8	Ø 16	5	R412005097
G 1/2	Ø 8	10	R412005093
G 1/2	Ø 10	10	2122010120
G 1/2	Ø 12	10	2122012120
G 1/2	Ø 14	5	2122014120
G 1/2	Ø 16	5	R412005098


2122004180




2122006180




2122008180




R412005094




R412005095




2122004140




2122006140




2122008140




2122010140




2122012140



R412005092




2122008380







2122010380




2122012380




2122014380




R412005097




R412005093




2122010120




2122012120



2122014120




R412005098




QR1-S-RVL 标准系列

长弯头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2122104050
M5	Ø 6	10	R412005099
G 1/8	Ø 4	10	2122104180
G 1/8	Ø 6	10	2122106180
G 1/8	Ø 8	10	2122108180
G 1/4	Ø 4	10	2122104140
G 1/4	Ø 6	10	2122106140
G 1/4	Ø 8	10	2122108140
G 1/4	Ø 10	10	2122110140
G 1/4	Ø 12	10	R412005103
G 3/8	Ø 8	10	2122108380
G 3/8	Ø 10	10	2122110380
G 3/8	Ø 12	10	R412005104
G 1/2	Ø 12	10	R412005105


2122104050




R412005099




2122104180




2122106180




2122108180




2122104140




2122106140




2122108140




2122110140




R412005103




2122108380




2122110380



R412005104




R412005105




QR1-S-RVI 标准系列

母螺纹直角接头  
内螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	R412005129
G 1/8	Ø 6	10	R412005130
G 1/8	Ø 8	10	R412005131
G 1/4	Ø 4	10	R412005132
G 1/4	Ø 6	10	R412005133
G 1/4	Ø 8	10	R412005134
G 1/4	Ø 10	10	R412005135


R412005129




R412005130




R412005131




R412005132




R412005133



R412005134




R412005135






QR1-S-RW1 标准系列

角度回转接头 1倍  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	R412005236
M5	Ø 6	10	R412005238

R412005236




R412005238




QR1-S-RW1 标准系列

角度回转接头 1倍  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	R412005237
G 1/8	Ø 6	10	R412005239
G 1/8	Ø 8	10	R412005240
G 1/4	Ø 6	10	R412005241
G 1/4	Ø 8	10	R412005242
G 1/4	Ø 10	10	R412005243
G 3/8	Ø 8	5	R412005244
G 3/8	Ø 10	5	R412005245
G 3/8	Ø 12	5	R412005246


R412005237




R412005239




R412005240




R412005241




R412005242




R412005243




R412005244



R412005245



R412005246




QR1-S-RW2 标准系列

角度回转接头 2倍  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	R412005141
G 1/8	Ø 6	10	R412005144
G 1/8	Ø 8	10	R412005147
G 1/4	Ø 6	10	R412005145
G 1/4	Ø 8	10	R412005148
G 3/8	Ø 8	10	R412005149
G 3/8	Ø 10	5	R412005152
G 1/2	Ø 12	5	R412005155


R412005141




R412005144




R412005147




R412005145




R412005148




R412005149



R412005152



R412005155




QR1-S-RW6 标准系列

角度回转接头 3倍,双面  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 4	10	R412005186
G 1/8	Ø 6	10	R412005187
G 1/4	Ø 4	10	R412005189
G 1/4	Ø 6	10	R412005190
G 1/4	Ø 8	10	R412005191
G 3/8	Ø 6	10	R412005194
G 3/8	Ø 8	10	R412005195
G 3/8	Ø 10	5	R412005196


R412005186




R412005187



R412005189




R412005190







R412005191




R412005194



R412005195



R412005196




QR1-S-RID 标准系列

角度回转接头 2倍，配有内螺纹结构  
外螺纹  
快插接头




G	Ø D	Ø	供货数量 [件]	物料号
M5	Ø 4	M5	10	R412005259
G 1/8	Ø 6	G 1/8	10	R412005260
G 1/4	Ø 8	G 1/4	10	R412005261
G 3/8	Ø 10	G 3/8	5	R412005262


R412005259




R412005260



R412005261




R412005262




QR1-S-RTT 标准系列

T-接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2122204050
M5	Ø 6	10	R412005201
G 1/8	Ø 4	10	2122204180
G 1/8	Ø 6	10	2122206180
G 1/8	Ø 8	10	2122208180
G 1/8	Ø 10	10	R412005205
G 1/4	Ø 4	10	2122204140
G 1/4	Ø 6	10	2122206140
G 1/4	Ø 8	10	2122208140
G 1/4	Ø 10	10	2122210140
G 1/4	Ø 12	10	R412005206
G 3/8	Ø 6	10	R412005203
G 3/8	Ø 8	10	2122208380
G 3/8	Ø 10	10	2122210380
G 3/8	Ø 12	10	2122212380
G 3/8	Ø 14	10	2122214380
G 1/2	Ø 10	10	2122210120
G 1/2	Ø 12	5	2122212120
G 1/2	Ø 14	5	2122214120
G 1/2	Ø 16	5	R412005209


2122204050




R412005201




2122204180




2122206180




2122208180




R412005205




2122204140




2122206140




2122208140




2122210140




R412005206




R412005203




2122208380




2122210380




2122212380




2122214380




2122210120




2122212120



2122214120




R412005209




QR1-S-RTS 标准系列

T-旋转接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
G 1/8	Ø 6	10	R412005292
G 1/8	Ø 8	10	R412005293
G 1/4	Ø 6	10	R412005294
G 1/4	Ø 8	10	R412005295


R412005292




R412005293



R412005294




R412005295




QR1-S-RLT 标准系列

弯形螺纹管接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2122304050
M5	Ø 6	10	R412005212
G 1/8	Ø 4	10	2122304180
G 1/8	Ø 6	10	2122306180
G 1/8	Ø 8	10	R412005214
G 1/4	Ø 4	10	R412005211
G 1/4	Ø 6	10	2122306140
G 1/4	Ø 8	10	2122308140
G 1/4	Ø 10	10	R412005215
G 1/4	Ø 12	5	R412005216
G 3/8	Ø 8	10	2122308380
G 3/8	Ø 10	10	2122310380
G 3/8	Ø 12	5	2122312380
G 1/2	Ø 10	10	2122310120
G 1/2	Ø 12	5	2122312120


2122304050




R412005212




2122304180




2122306180




R412005214




R412005211




2122306140




2122308140




R412005215




R412005216



2122308380




2122310380







2122312380



2122310120



2122312120



QR1-S-RAY 标准系列



Y型接头  
外螺纹  
快插接头




G	Ø D	供货数量 [件]	物料号
M5	Ø 4	10	2122404050
M5	Ø 6	10	R412005219
G 1/8	Ø 4	10	2122404180
G 1/8	Ø 6	10	2122406180
G 1/8	Ø 8	10	2122408180
G 1/4	Ø 4	10	2122404140
G 1/4	Ø 6	10	2122406140
G 1/4	Ø 8	10	2122408140
G 1/4	Ø 10	10	2122410140
G 3/8	Ø 8	10	R412005221
G 3/8	Ø 10	10	2122410380
G 3/8	Ø 12	10	2122412380
G 1/2	Ø 8	10	R412005222
G 1/2	Ø 10	10	2122410120
G 1/2	Ø 12	10	2122412120

2122404050


R412005219




2122404180




2122406180




2122408180




2122404140




2122406140




2122408140




2122410140




R412005221




2122410380




2122412380




R412005222



2122410120




2122412120




QR1-S-RSK 标准系列

锁母式直接头  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121504000
Ø 6	Ø 6	10	2121506000
Ø 8	Ø 8	10	2121508000
Ø 10	Ø 10	10	2121510000
Ø 12	Ø 12	10	2121512000
Ø 14	Ø 14	5	2121514000
Ø 16	Ø 16	5	R412005059


2121504000




2121506000




2121508000




2121510000




2121512000



2121514000




R412005059




QR1-S-RSR 标准系列

直接头，缩径  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	R412005060
Ø 8	Ø 4	10	R412005061
Ø 8	Ø 6	10	R412005062
Ø 10	Ø 6	10	R412005063
Ø 10	Ø 8	10	R412005064
Ø 12	Ø 8	10	R412005065
Ø 12	Ø 10	10	R412005066
Ø 16	Ø 12	5	R412005067


R412005060




R412005061




R412005062




R412005063




R412005064




R412005065



R412005066



R412005067






QR1-S-RSM 标准系列

隔板插接接口，金属  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121404000
Ø 6	Ø 6	10	2121406000
Ø 8	Ø 8	10	2121408000
Ø 10	Ø 10	10	2121410000
Ø 12	Ø 12	10	2121412000


2121404000




2121406000




2121408000



2121410000



2121412000




QR1-S-RSC 标准系列

隔墙连接插头，塑料材质  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005051
Ø 6	Ø 6	10	R412005052
Ø 8	Ø 8	10	R412005053
Ø 10	Ø 10	10	R412005054
Ø 12	Ø 12	10	R412005055


R412005051




R412005052




R412005053



R412005054



R412005055




系列 QR1-S-RVW Mini

弯角连接插口  
针式衬套  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005046


规格



物料号	接口 D	接口 G	A	B	C	E	X	Y
R412005046	Ø 4	Ø 4	56,36	43,6	16	18.1	12	10


QR1-S-RVK 标准系列

弯角插头连接器  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121204000
Ø 6	Ø 6	10	2121206000
Ø 8	Ø 8	10	2121208000
Ø 10	Ø 10	10	2121210000
Ø 12	Ø 12	10	2121212000
Ø 14	Ø 14	5	2121214000
Ø 16	Ø 16	5	R412005033


2121204000




2121206000




2121208000




2121210000




2121212000



2121214000



R412005033




QR1-S-RVS 标准系列

弯角隔壁接头  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005056
Ø 6	Ø 6	10	R412005057
Ø 8	Ø 8	10	R412005375
Ø 10	Ø 10	10	R412005376


R412005056




R412005057



R412005375



R412005376




QR1-S-RMT 标准系列

3X 插头, 减径  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	R412005346
Ø 8	Ø 4	10	R412005347
Ø 8	Ø 6	10	R412005348
Ø 10	Ø 6	10	R412005349
Ø 10	Ø 8	10	R412005350


R412005346




R412005347




R412005348



R412005349




R412005350




QR1-S-RTK 标准系列

T-插塞连接  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121104000
Ø 6	Ø 6	10	2121106000
Ø 8	Ø 8	10	2121108000
Ø 10	Ø 10	10	2121110000
Ø 12	Ø 12	10	2121112000
Ø 14	Ø 14	5	2121114000
Ø 16	Ø 16	5	R412005025


2121104000




2121106000




2121108000




2121110000



2121112000




2121114000





R412005025




QR1-S-RTR 标准系列

T型连接接头，减径  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	R412005026
Ø 8	Ø 4	10	R412005027
Ø 8	Ø 6	10	R412005028
Ø 10	Ø 6	10	R412005029
Ø 10	M8	10	R412005030
Ø 12	Ø 8	10	R412005031
Ø 12	Ø 10	10	R412005032


R412005026




R412005027




R412005028




R412005029




R412005030



R412005031




R412005032




QR1-S-RYK 标准系列

Y-插头  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121804000
Ø 6	Ø 6	10	2121806000
Ø 8	Ø 8	10	2121808000
Ø 10	Ø 10	10	2121810000
Ø 12	Ø 12	10	2121812000


2121804000




2121806000




2121808000



2121810000




2121812000




QR1-S-RYR 标准系列

Y型快插接头，减径  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	2121806040
Ø 8	Ø 4	10	R412005081
Ø 8	Ø 6	10	2121808060
Ø 10	Ø 6	10	R412005082
Ø 10	Ø 8	10	2121810080
Ø 12	Ø 8	10	R412005083
Ø 12	Ø 10	10	R412005080


2121806040




R412005081




2121808060




R412005082




2121810080



R412005083




R412005080




QR1-S-RYD 标准系列

Y型快插接头，减径  
双重  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	R412005344
Ø 8	Ø 6	10	R412005345

R412005344



R412005345




QR1-S-RXS 标准系列

X-插头  
快插接头  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005361
Ø 6	Ø 6	10	R412005362
Ø 8	Ø 8	10	R412005363
Ø 10	Ø 10	10	R412005364


R412005361




R412005362



R412005363




R412005364






QR1-S-RED 标准系列

快插直接头，缩径  
快插接头  
针式衬套




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 6	10	2121706040
Ø 4	Ø 8	10	2121708040
Ø 4	Ø 10	10	2121710040
Ø 6	Ø 8	10	2121708060
Ø 6	Ø 10	10	2121710060
Ø 6	Ø 12	10	2121712060
Ø 8	Ø 10	10	2121710080
Ø 8	Ø 12	10	2121712080
Ø 8	Ø 14	10	2121714080
Ø 10	Ø 12	10	2121712100
Ø 10	Ø 14	10	2121714100
Ø 12	Ø 14	10	2121714120


2121706040




2121708040




2121710040




2121708060




2121710060




2121712060




2121710080




2121712080




2121714080




2121712100



2121714100




2121714120




QR1-S-RVA 标准系列

弯角连接插口  
针式衬套  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2121304040
Ø 6	Ø 6	10	2121306060
Ø 8	Ø 8	10	2121308080
Ø 10	Ø 10	10	2121310100
Ø 12	Ø 12	10	R412005036


2121304040




2121306060




2121308080



2121310100




R412005036




QR1-S-RLL 标准系列

弯角连接插口  
长针式衬套  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005039
Ø 6	Ø 6	10	R412005040
Ø 8	Ø 8	10	R412005041
Ø 10	Ø 10	10	R412005042
Ø 12	Ø 12	10	R412005043


R412005039




R412005040




R412005041



R412005042



R412005043




QR1-S-RVR 标准系列

弯角连接插口  
快插接头，减径  
针式衬套




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 6	10	2121304060
Ø 6	Ø 8	10	2121306080
Ø 8	Ø 10	10	R412005034


2121304060



2121306080




R412005034




QR1-S-RTC 标准系列

T-快插接头  
针式衬套  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 6	10	2122706000
Ø 8	Ø 8	10	2122708000
Ø 12	Ø 12	10	R412010596


2122706000



2122708000




R412010596




QR1-S-RY2 标准系列

Y-快插接头  
针式衬套  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	R412005332
Ø 6	Ø 6	10	R412005333
Ø 8	Ø 8	10	R412005334
Ø 10	Ø 10	10	R412005335
Ø 12	Ø 12	10	R412005336


R412005332




R412005333




R412005334



R412005335




R412005336






QR1-S-R2R 标准系列

Y型快插接头,减径  
快插接头  
针式衬套




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 6	10	R412005337
Ø 6	Ø 8	10	R412005338
Ø 8	Ø 10	10	R412005339
Ø 10	Ø 12	10	R412005340


R412005337




R412005338



R412005339




R412005340




QR1-S-RY4 标准系列

Y型快插接头,减径  
针式衬套  
快插接头




G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 6	10	R412005341
Ø 4	Ø 8	10	R412005342

R412005341



R412005342




QR1-S-RCA 标准系列

密封盖  
快插接头




G	供货数量 [件]	物料号
Ø 4	20	R412005111
Ø 6	20	R412005112
Ø 8	20	R412005113
Ø 10	20	R412005114
Ø 12	20	R412005115


R412005111




R412005112




R412005113



R412005114



R412005115




QR1-S-RBS 标准系列

堵头  
针式衬套



G	供货数量 [件]	物料号
Ø 4	20	2123204000
Ø 6	20	2123206000
Ø 8	20	2123208000
Ø 10	20	2123210000
Ø 12	20	2123212000
Ø 14	10	2123214000
Ø16	10	R412005331

规格



物料号	接口 G	A	B	Ø P1	Ø P2
2123204000		28	16	3	4
2123206000		32	17	4	6
2123208000		39	21,5	5	9
2123210000		42	21	8	10
2123212000		44	30	8	12
2123214000		45	24.6	8	14
R412005331		46	24.8	10	16


QR1-S-RDS 标准系列

连接块  
针式衬套  
针式衬套



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	10	2123104000
Ø 6	Ø 6	10	2123106000
Ø 8	Ø 8	10	2123108000
Ø 10	Ø 10	10	2123110000
Ø 12	Ø 12	10	2123112000


规格



物料号	接口 D	接口 G	A	B
2123104000			37,5	17,8
2123106000			39,7	18,7
2123108000			43,4	20,7
2123110000			47,2	22,6
2123112000			53	25,5
2123114000			53	-
R412005322			54	24,8


QR1-S-RDR 标准系列

"减径连接件"  
针式衬套  
针式衬套




G	Ø D	供货数量 [件]	物料号
Ø 6	Ø 4	10	R412005323
Ø 8	Ø 4	10	R412005324
Ø 8	Ø 6	10	R412005325
Ø 10	Ø 6	10	R412005326
Ø 10	Ø 8	10	R412005327
Ø 12	Ø 8	10	R412005328
Ø 12	Ø 10	10	R412005329


R412005323




R412005324




R412005325




R412005326




R412005327



R412005328




R412005329




系列 QR1-S-M2R Mini

Y型快插接头,减径  
针式衬套  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 3	25	R412005445
Ø 6	Ø 4	25	R412005446

规格



物料号	接口 D	接口 G	Ø dx	A	B	F	J	X	Y
R412005445	Ø 3	Ø 4	3.2	33	9.5	13.4	8	7	6
R412005446	Ø 4	Ø 6	3.2	38.5	11.5	13.6	10.5	10	8




系列 QR1-S-MAN Mini

带外六角直通管接头  
外螺纹  
快插接头



G		Ø D	供货数量 [件]	物料号
M3		Ø 3	25	R412005116
M3		Ø 4	25	R412005117
M5		Ø 3	25	R412005118
M5		Ø 4	25	R412005119
M5		Ø 6	25	R412005120
M6		Ø 3	25	R412005121
M6		Ø 4	25	R412005122
M6		Ø 6	25	R412005123
G 1/8		Ø 4	25	R412005124
G 1/8		Ø 6	25	R412005125

规格



物料号	接口 D	接口 G	A	B	C	SW	X	Y
R412005116	Ø 3	M3	13.6	3	9.5	6	7	6
R412005117	Ø 4	M3	17.2	3	11.5	8	10	8
R412005118	Ø 3	M5	16.2	4	9.5	8	7	6
R412005119	Ø 4	M5	16.2	4	11.5	8	10	8

物料号	接口 D	接口 G	A	B	C	SW	X	Y
R412005120	Ø 6	M5	17.3	4 M3	12.5	10	12	10
R412005121	Ø 3	M6	17	5	9.5	8	7	6
R412005122	Ø 4	M6	17.4	5	11.5	8	10	8
R412005123	Ø 6	M6	18.3	5	12.5	10	12	10
R412005124	Ø 4	G 1/8	12.7	5	11.5	10	10	8
R412005125	Ø 6	G 1/8	14.9	5	12.5	10	12	10


系列 QR1-S-MBS Mini

堵头  
针式衬套



G	供货数量 [件]	物料号
Ø 3	25	R412005447

规格



物料号	接口 G	A	B	Ø P1	Ø P2
R412005447	Ø 3	22	9.5	3	4


系列 QR1-S-MED Mini

快插直接头，缩径  
针式衬套  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 3	25	R412005437
Ø 6	Ø 4	25	R412005438

规格




物料号	接口 D	接口 G	A	B1	B2	C	X	Y
R412005437	Ø 3	Ø 4	29.2	9.5	11.5	11.2	7	6
R412005438	Ø 4	Ø 6	33.2	11.5	12.5	13.2	10	8

系列 QR1-S-MIN Mini

带内六角直通管接头  
外螺纹  
快插接头



G		Ø D	供货数量 [件]	物料号
M3		Ø 3	25	R412005264
M3		Ø 4	25	R412005265
M5		Ø 3	25	R412005266
M5		Ø 4	25	R412005267
M5		Ø 6	25	R412005268
M6		Ø 3	25	R412005269
M6		Ø 4	25	R412005270
M6		Ø 6	25	R412005271
M7		Ø 4	25	R412005272
M7		Ø 6	25	R412005273
G 1/8		Ø 4	25	R412005274
G 1/8		Ø 6	25	R412005275




物料号	接口 D	接口 G	A	B	C	SW	X	Y
R412005264	Ø 3	M3	15.9	3	9.5	1.5	7	6
R412005265	Ø 4	M3	18	3	11.5	1.5	10	8
R412005266	Ø 3	M5	18	4	9.5	2	7	6

物料号	接口 D	接口 G	A	B	C	SW	X	Y
R412005267	Ø 4	M5	16.3	4	11.5	2.5	10	8
R412005268	Ø 6	M5	17.8	4	12.5	2.5	12	10
R412005269	Ø 3	M6	20.2	5	9.5	3	7	6
R412005270	Ø 4	M6	20.2	5	11.5	3	10	8
R412005271	Ø 6	M6	18.8	5	12.5	3	12	10
R412005272	Ø 4	M7	21.4	5	11.5	3	10	8
R412005273	Ø 6	M7	20.1	5	12.5	3	12	10
R412005274	Ø 4	G 1/8	17	5	11.5	3	10	8
R412005275	Ø 6	G 1/8	20.6	5	12.5	4	12	10


系列 QR1-S-MLT Mini

弯形螺纹管接头  
外螺纹  
快插接头



G	Ø D	供货数量 [件]	物料号
M5	Ø 4	25	R412005405
M5	Ø 6	25	R412005406
G 1/8	Ø 4	25	R412005410
G 1/8	Ø 6	25	R412005411


规格



物料号	接口 D	接口 G	A	B	C	E	SW	X	Y
R412005405	Ø 4	M5	15	4	11.5	13.1	8	10	8
R412005406	Ø 6	M5	17	4	12.5	14.4	8	12	10
R412005410	Ø 4	G 1/8	13.4	5	11.5	13.1	10	10	8
R412005411	Ø 6	G 1/8	15	5	12.5	14.4	10	12	10


系列 QR1-S-MSK Mini

锁母式直接头  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 3	Ø 3	25	R412005412
Ø 4	Ø 4	25	R412005413
Ø 6	Ø 6	25	R412005414

规格



物料号	接口 D	接口 G	A	B	X	Y
R412005412	Ø 3	Ø 3	20.4	9.5	7	6
R412005413	Ø 4	Ø 4	23.8	11.5	10	8
R412005414	Ø 6	Ø 6	25.1	12.5	12	10




系列 QR1-S-MSM Mini

隔板插接接口，金属  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	25	R412005418
Ø 6	Ø 6	25	R412005419


规格



物料号	接口 D	接口 G	M	A	B	C	E	SW	Ø P
R412005418	Ø 4	Ø 4	M10x1,0	24	9	11.5	7.5	12	8
R412005419	Ø 6	Ø 6	M12x1,0	25.9	10.5	12.5	6	14	10.5


系列 QR1-S-MSR Mini

直接头, 缩径  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 3	25	R412005415
Ø 6	Ø 4	25	R412005416


规格



物料号	接口 D	接口 G	A	B1	B2	X1	X2	Y1	Y2
R412005415	Ø 3	Ø 4	22.5	9.5	11.5	7	10	6	8
R412005416	Ø 4	Ø 6	24	11.5	12.5	10	12	8	10


系列 QR1-S-MTK Mini

T-插塞连接  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 3	Ø 3	25	R412005426
Ø 4	Ø 4	25	R412005427
Ø 6	Ø 6	25	R412005428


规格



物料号	接口 D	接口 G	Ø dx	A	B	F	X	Y
R412005426	Ø 3	Ø 3	3.2	11.4	9.5	4.5	7	6
R412005427	Ø 4	Ø 4	3.2	13.9	11.5	5.8	10	8
R412005428	Ø 6	Ø 6	3.2	15.4	12.5	6.5	12	10


系列 QR1-S-MTT Mini

T-接头  
外螺纹  
快插接头



G	Ø D	供货数量 [件]	物料号
M5	Ø 4	25	R412005395
M5	Ø 6	25	R412005396
G 1/8	Ø 4	25	R412005400
G 1/8	Ø 6	25	R412005401

规格



物料号	接口 D	接口 G	A	B	C	E	SW	X	Y
R412005395	Ø 4 M5 M5	M5	15	4	11.5	13.1	8	10	8
R412005396	Ø 6	M5	16	4	12.5	14.4	8	12	10
R412005400	Ø 4	G 1/8	13.4	5	11.5	13.1	12	10	8
R412005401	Ø 6	G 1/8	14.4	5	12.5	14.4	10	12	10


系列 QR1-S-MVA Mini

弯角连接插口  
针式衬套  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 3	Ø 3	25	R412005439
Ø 4	Ø 4	25	R412005440
Ø 6	Ø 6	25	R412005441


规格



物料号	接口 D	接口 G	A	B	C	X	Y
R412005439	Ø 3	Ø 3	21.6	9.5	11.2	7	6
R412005440	Ø 4	Ø 4	27.6	11.5	15.6	10	8
R412005441	Ø 6	Ø 6	29.6	12.5	16.9	12	10


系列 QR1-S-MVK Mini

弯角插头连接器  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 3	Ø 3	25	R412005423
Ø 4	Ø 4	25	R412005424
Ø 6	Ø 6	25	R412005425

规格



物料号	接口 D	接口 G	Ø dx	A	B	F	X	Y
R412005423	Ø 3	Ø 3	3.2	11.4	9.5	4.5	7	6
R412005424	Ø 4	Ø 4	3.2	13.9	11.5	5.8	10	8
R412005425	Ø 6	Ø 6	3.2	15.4	12.5	6.5	12	10


系列 QR1-S-MVL Mini

长弯头  
外螺纹  
快插接头



G	Ø D	供货数量 [件]	物料号
M3	Ø 3	25	R412005381
M3	Ø 4	25	R412005382
M5	Ø 4	25	R412005384
M5	Ø 6	25	R412005385
G 1/8	Ø 4	25	R412005390
G 1/8	Ø 6	25	R412005391

规格



物料号	接口 D	接口 G	A	B	C	E	SW	X	Y
R412005381	Ø 3	M3	19.4	3	9.5	11.2	6	7	6
R412005382	Ø 4	M3	23	3	11.5	15.6	8	10	8
R412005384	Ø 4	M5	26	4	11.5	15.6	8	10	8
R412005385	Ø 6	M5	26	4	12.5	16.9	8	12	10
R412005390	Ø 4	G 1/8	25.1	5	11.5	15.6	10	10	8
R412005391	Ø 6	G 1/8	26.4	5	12.5	16.9	10	12	10


系列 QR1-S-MVS Mini

弯角隔壁接头  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	25	R412005421
Ø 6	Ø 6	25	R412005422

规格




物料号	接口 D	接口 G	M	A	B	E	F	H	SW	X
R412005421	Ø 4	Ø 4	M10x1,0	24.4	11.5	15.3	13	3	12	10
R412005422	Ø 6	Ø 6	M12x1,0	31.5	12.5	16.3	16.6	4	14	12

物料号	Y
R412005421	8
R412005422	10




系列 QR1-S-MVT Mini

弯头  
外螺纹  
快插接头



G		Ø D	供货数量 [件]	物料号
M3		Ø 3	25	R412005284
M3		Ø 4	25	R412005285
M5		Ø 3	25	R412005286
M5		Ø 4	25	R412005287
M5		Ø 6	25	R412005288
M6		Ø 3	25	R412005289
M6		Ø 6	25	R412005627
M6		Ø 4	25	R412005628
M7		Ø 4	25	R412005377
M7		Ø 6	25	R412005378
G 1/8		Ø 4	25	R412005379
G 1/8		Ø 6	25	R412005380

规格



物料号	接口 D	接口 G	A	B	C	E	SW	X	Y
R412005284	Ø 3	M3	10.4	3	9.5	11.2	6	7	6
R412005285	Ø 4	M3	12	3	11.5	15.6	8	10	8
R412005286	Ø 3	M5	11.3	3.5	9.5	11.2	8	7	6

物料号	接口 D	接口 G	A	B	C	E	SW	X	Y
R412005287	Ø 4	M5	11.6	3.5	11.5	15.6	8	10	8
R412005288	Ø 6	M5	12.9	3.5	12.5	16.9	8	12	10
R412005289	Ø 3	M6	11.9	4.5	9.5	11.2	8	7	6
R412005628	Ø 4	M6	11.6	4.5	12.5	15.6	8	12	10
R412005627	Ø 6	M6	12.9	4.5	11.5	16.9	10	10	8
R412005377	Ø 4	M7	13.7	5.5	11.5	15.6	8	10	8
R412005378	Ø 6	M7	15	5.5	12.5	16.9	8	12	10
R412005379	Ø 4	G 1/8	12.6	5	11.5	15.6	12	10	8
R412005380	Ø 6	G 1/8	17	5	12.5	16.9	10	12	10


系列 QR1-S-MXS Mini

X-插头  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	25	R412005435
Ø 6	Ø 6	25	R412005436


规格



物料号	接口 D	接口 G	Ø dx	A	B	F	X	Y
R412005435	Ø 4	Ø 4	3.2	13.6	11.5	5.5	10	8
R412005436	Ø 6	Ø 6	3.2	15.9	12.5	6.5	12	10


系列 QR1-S-MYK Mini

Y-插头  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 3	Ø 3	25	R412005429
Ø 4	Ø 4	25	R412005430
Ø 6	Ø 6	25	R412005431


规格



物料号	接口 D	接口 G	Ø dx	A	B	F	J	X	Y
R412005429	Ø 3	Ø 3	3.2	29.9	9.5	13.2	8	7	6
R412005430	Ø 4	Ø 4	3.2	30.1	11.5	13.3	8	10	8
R412005431	Ø 6	Ø 6	3.2	32.1	12.5	13.6	10.5	12	10


系列 QR1-S-MYR Mini

Y型快插接头，减径  
快插接头  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 3	25	R412005432
Ø 6	Ø 4	25	R412005433

规格



物料号	接口 D	接口 G	Ø dx	A	B1	B2	F	J	X1	X2
R412005432	Ø 3	Ø 4	3.2	30	11.5	9.5	13.4	8	10	7
R412005433	Ø 4	Ø 6	3.2	31.5	12.5	11.5	13.6	10.5	12	10

物料号	Y1	Y2
R412005432	8	6
R412005433	10	8


系列 QR1-S-MYZ Mini

Y-快插接头  
针式衬套  
快插接头



G	Ø D	供货数量 [件]	物料号
Ø 4	Ø 4	25	R412005443
Ø 6	Ø 6	25	R412005444

规格



物料号	接口 D	接口 G	Ø dx	A	B	F	J	X	Y
R412005443	Ø 4	Ø 4	3.2	45	11.5	13.3	8	10	8
R412005444	Ø 6	Ø 6	3.2	50.5	12.5	13.6	10.4	12	10

# Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: [Emerson.com/Aventics](https://www.emerson.com/Aventics)

Your local contact: [Emerson.com/contactus](https://www.emerson.com/contactus)



[Emerson.com](https://www.emerson.com)



[Facebook.com/EmersonAutomationSolutions](https://www.facebook.com/EmersonAutomationSolutions)



[LinkedIn.com/company/Emerson-Automation-Solutions](https://www.linkedin.com/company/Emerson-Automation-Solutions)



[Twitter.com/EMR\\_Automation](https://twitter.com/EMR_Automation)

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2019 Emerson Electric Co. All rights reserved.



**CONSIDER IT SOLVED™**