

Serie ML



AVENTICS™

**Distribuidor de corredera mando
manual AVENTICS serie ML**


EMERSON™

Serie ML

La serie ML de AVENTICS son distribuidores de corredera de 3/2 vías mando manual para un montaje en tubos directo gracias a su diseño compacto y roscas externas.

- $Q_n = 750 \text{ l/min} \dots 3200 \text{ l/min}$




Vista general del producto

Válvulas direccionales

válvula distribuidora 3/2 de corredera manual, Serie ML.....	4
--	---


válvula distribuidora 3/2 de corredera manual, Serie ML

Tipo de conexión de aire comprimido 2: rosca exterior
 Temperatura ambiental mín./máx.: 0 °C ... 80 °C
 Temperatura del medio mín./máx.: 0 °C ... 80 °C
 Presión de funcionamiento mín./máx.: 0 bar ... 10 bar



Conexión de aire comprimido 1	Conexión de aire comprimido 2	Material carcasa	N° de material
G 1/8	G 1/8	Latón	0820402007
G 1/4	G 1/4	Latón	0820405001
G 3/8	G 3/8	Latón	0820406001
G 1/2	G 1/2	Latón	0820407001

Dimensiones







N° de material	Orificio G	B	Ø C	D	SW
0820402007	G 1/8	72	26	8	14
0820405001	G 1/4	81	32	10	19
0820406001	G 3/8	85	37	10	22
0820407001	G 1/2	98	44	12	27

Efficient pneumatic solutions, our program:
cylinders and drives, valves and valve systems,
air supply management, proportional pressure
control valves



Visit us: www.Emerson.com/aventics
Your local contact: Emerson.com/contactus

-  Emerson.com
-  Facebook.com/EmersonAutomationSolutions
-  LinkedIn.com/company/Emerson-Automation-Solutions
-  Twitter.com/EMR_Automation



The Emerson logo is a trademark and service mark of Emerson Electric Co. AVENTICS is a registered trademark of one of the Emerson family of companies. All other trademarks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED™