


AVENTICS 580 チャームノード



AVENTICS™


AVENTICS シリーズ 580 空気圧通
信ノード


EMERSON™

AVENTICS 580 チャームノード

AVENTICS シリーズ 580フィールドバス通信ノードは、コンパクトなパッケージで、バルブシステムごとに最大 128 個の AVENTICS 500 シリーズソレノイドバルブをサポートします。診断情報の簡単な試運転と表示のための機能と統合グラフィックディスプレイ。580通信ノードは、AVENTICS 501、502、および503シリーズを含むさまざまなバルブプラットフォームに嵌合します。AVENTICS 580 シリーズ通信ノードは、自動車、タイヤ、包装、医薬品処理、食品および飲料、ファインケミカル、水/廃水アプリケーションでの使用に最適です。

- プログラミングと試運転の時間を大幅に短縮
- 配線とコンポーネントで最大15%の節約を実現
- 使用 DeltaV 的本身能力来诊断气动阀
- パイロットバルブ用のProfibus-DPのような追加の専用ネットワークの必要性を排除し、システムI/Oマッピングを簡素化



製品概要

バスカプラ

バスカプラ, シリーズ 580.....	4
IO機能なしの一元化フィールドバス接続 電圧供給プラグ M12x1、5 極 - DeltaV - プラグ	


バスカプラ, シリーズ 580

電気接続 2, スレッドサイズ: M12x1
電気接続 2, 極数: 5極
最少周囲温度: -10 °C
最高周囲温度: 50 °C



フィールド ドバスプ ロトコル	極数	作動電圧 エレクト ロニクス	作動電圧 エレクト ロニクス	マテリアル番号
DeltaV	5極	24 V DC	-10 % / +10 %	P580AECH2010A00

寸法



**Efficient pneumatic solutions, our program:
cylinders and drives, valves and valve systems,
air supply management, proportional pressure
control valves**



Visit us: www.Emerson.com/aventics
Your local contact: Emerson.com/contactus

-  Emerson.com
-  Facebook.com/EmersonAutomationSolutions
-  LinkedIn.com/company/Emerson-Automation-Solutions
-  Twitter.com/EMR_Automation



The Emerson logo is a trademark and service mark of Emerson Electric Co. AVENTICS is a registered trademark of one of the Emerson family of companies. All other trademarks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED®