

PE7



AVENTICS™



Sensori di pressione AVENTICS
Serie PE7



Sensore di pressione, Serie PE7

- Esecuzione compatta






Sensore di pressione, Serie PE7

Connettore
M12x1
filettatura esterna
Dichiarazione di conformità CE
UKCA
RoHS
Conforme a REACH
UL (Underwriters Laboratories)
4 poli



Attacco filettato	Pressione di domanda min/max [bar]	Pressione di domanda max [bar]	Tensione di esercizio DC, min. [V DC]	Tensione di esercizio DC, max. [V DC]	Protezione da sovrappressione	Segnale in uscita digitale	Isteresi	Codice
G 1/4	-1	1	18	30	10 bar	PNP, NPN, Push-pull, 1 x IO-Link, 0 - 10 V DC, 4 - 20 mA	regolabile	R412028726
G 1/4	0	25	18	30	10 bar	PNP, NPN, Push-pull, 1 x IO-Link, 0 - 10 V DC, 4 - 20 mA	regolabile	R412028728


Dimensioni in mm



- 1) OLED
- 2) Marcatura laser sul lato inferiore in base alle indicazioni di stampa
- 3) vite di strozzamento
- 5) Guarnizione
- 6) 1) apertura di areazione del corpo

R412028726, R412028728


Occupazione pin



- 1) +UB
- 2) 0 VDC
- 3) OUT 1 / IO-L
- 4) OUT 2

R412028725, R412028727

Occupazione pin



- 1) +UB
- 2) 0 VDC
- 3) OUT 1 / IO-L
- 4) OUT 2

Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: [Emerson.com/Aventics](https://www.emerson.com/aventics)

Your local contact: [Emerson.com/contactus](https://www.emerson.com/contactus)



[Emerson.com](https://www.emerson.com)



[Facebook.com/EmersonAutomationSolutions](https://www.facebook.com/EmersonAutomationSolutions)



[LinkedIn.com/company/Emerson-Automation-Solutions](https://www.linkedin.com/company/Emerson-Automation-Solutions)



[Twitter.com/EMR_Automation](https://twitter.com/EMR_Automation)

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2019 Emerson Electric Co. All rights reserved.



CONSIDER IT SOLVED™