

Manifold strip, Series TC15

R412012680

Series

TC15

2025-03-07



Technical data

Industry

Industrial

Type

Manifold strip

For series

TC15

Type

Manifold strip

Nominal flow Qn

1500 l/min

Min. ambient temperature

-10 °C

Max. ambient temperature

50 °C

Medium

Compressed air

Number of valve positions

8

Weight

0.598 kg

Material

Material base plate

Aluminum

Seal material

Acrylonitrile butadiene rubber

Part No.

R412012680

Manifold strip, Series TC15

R412012680

Series
TC15

2025-03-07

Mounting on manifold strip



The following must be ordered to mount the valves: manifold strip A, mounting kit B (R422000948), Blanking plate C (R422000938)




Manifold strip, Series TC15

R412012680

Series
TC15

2025-03-07

Dimensions in mm
p-strip with support bracket



- 1) Blanking plate
2) Please order mounting clip 1821332051 separately.
n = number of valve positions

Dimensions in mm


Manifold strip, Series TC15

R412012680

Series
TC15

2025-03-07

P strip with mounting bracket, vertical installation



1) Blanking plate

2) Please order mounting bracket 1821332050 separately.

n = number of valve positions

Vertical installation not possible with 5/2 directional valves, electrically operated on each side and 5/3 directional valves, electrically operated.

Dimensions in mm

Manifold strip, Series TC15

R412012680

Series
TC15

2025-03-07

P strip with mounting bracket, horizontal installation

