

Manifold strip, Series TC15

R412012682

Series

TC15

2025-03-07



Technical data

Industry

Industrial

Type

Manifold strip

For series

TC15

Type

Manifold strip

Nominal flow Qn

1500 l/min

Min. ambient temperature

-10 °C

Max. ambient temperature

50 °C

Medium

Compressed air

Number of valve positions

12

Weight

0.851 kg

Material

Material base plate

Aluminum

Seal material

Acrylonitrile butadiene rubber

Part No.

R412012682

Manifold strip, Series TC15


R412012682

Series

TC15

2025-03-07

Mounting on manifold strip



The following must be ordered to mount the valves: manifold strip A, mounting kit B (R422000948), Blanking plate C (R422000938)

R412012682




Series

TC15

2025-03-07

Dimensions in mm

p-strip with support bracket



1) Blanking plate
2) Please order mounting clip 1821332051 separately.
n = number of valve positions

Dimensions in mm


Manifold strip, Series TC15

R412012682

Series
TC15

2025-03-07

P strip with mounting bracket, vertical installation



1) Blanking plate

2) Please order mounting bracket 1821332050 separately.

n = number of valve positions

Vertical installation not possible with 5/2 directional valves, electrically operated on each side and 5/3 directional valves, electrically operated.

Dimensions in mm


Manifold strip, Series TC15

R412012682

Series
TC15

2025-03-07

P strip with mounting bracket, horizontal installation



1) Blanking plate

2) Please order mounting bracket 1821332050 separately.

n = number of valve positions