


Block assembly kit, Series AS1-MBR-...-W05

R412014754

Series AS1



Technical data

Industry
Industrial

Port
G 1/4

Min. ambient temperature
-10 °C

Max. ambient temperature
50 °C

Weight
0.403 kg

Housing material
Die cast zinc


Surface housing
black painted

Seal material
Acrylonitrile butadiene rubber
R412014754

Technical information

Dimensions in mm

Fig. 2



1) Scope of delivery incl. 4 mounting screws M3x53-4.8-A2R according to EN ISO 7046-1 (countersunk screw with type H X-slot), 2x O-ring

Dimensions in mm

Technical drawing of a mechanical part, showing three views: front, top, and side. The drawing includes dimensions and assembly details.

Dimensions:

- Overall width: 70,5
- Overall height: 108
- Top flange width: 15,8
- Top flange thickness: 6,4
- Top flange hole diameter: Ø22
- Top flange hole thread: G 1/8
- Top flange hole offset from center: 5,4
- Top flange hole offset from edge: 6,4
- Top flange hole offset from center (bottom view): 49,3
- Top flange hole offset from edge (bottom view): 49,3
- Top flange hole offset from center (side view): 48,1
- Top flange hole offset from edge (side view): 50
- Top flange hole offset from center (bottom view): 5,4
- Top flange hole offset from edge (bottom view): 5,4
- Top flange hole offset from center (side view): 5,4
- Top flange hole offset from edge (side view): 5,4

Assembly Details:

- Top flange hole thread: G 1/8
- Top flange hole diameter: Ø22
- Top flange hole offset from center: 5,4
- Top flange hole offset from edge: 6,4
- Top flange hole offset from center (bottom view): 49,3
- Top flange hole offset from edge (bottom view): 49,3
- Top flange hole offset from center (side view): 48,1
- Top flange hole offset from edge (side view): 50
- Top flange hole offset from center (bottom view): 5,4
- Top flange hole offset from edge (bottom view): 5,4
- Top flange hole offset from center (side view): 5,4
- Top flange hole offset from edge (side view): 5,4

Assembly Details:

- Top flange hole thread: G 1/8
- Top flange hole diameter: Ø22
- Top flange hole offset from center: 5,4
- Top flange hole offset from edge: 6,4
- Top flange hole offset from center (bottom view): 49,3
- Top flange hole offset from edge (bottom view): 49,3
- Top flange hole offset from center (side view): 48,1
- Top flange hole offset from edge (side view): 50
- Top flange hole offset from center (bottom view): 5,4
- Top flange hole offset from edge (bottom view): 5,4
- Top flange hole offset from center (side view): 5,4
- Top flange hole offset from edge (side view): 5,4

AVENTICS